

HEATED APPAREL

Product range and instruction manual





What makes Keis Apparel unique?

There's nothing better than getting outside on a clear, cold, crisp day. But imagine you could remain as warm as toast whatever the activity! Now you can with Keis Heated Apparel. Forget heated clothing as it used to be, Keis uses the very latest heat generating technology to deliver Far Infra Red Radiation providing reliable, even and strategically positioned heating in a garment so reliable you can even wash it!



microCARBONfibre

HEATING TECHNOLOGY






What is Far Infra Red Technology?

Imagine being in the sun on a cold day.

The warmth seems to penetrate your body. The air temperature maybe zero but you remain warm at least until the sun goes in! That's Far Infra Red. Compare that to being in a warm room where it's the air that keeps you warm. Keis technology is designed to deliver Far Infra Red reliably, effectively and efficiently as possible.





Being Safe and Conscientious

WARNING! READ THOROUGHLY BEFORE ATTAMPTING TO USE YOUR KEIS PRODUCT.

- Keis Heated Apparel brings immense advantages to the user.
 However, skin is a sensitive organ and can blister at as little at 44°C!
 Our products must be used strictly in accordance with the instructions.
 Failure to do so can result in burns, serious injury or death.
- ALWAYS ensure a correct fit. Tight fitting garments that press the heating systems hard against the skin can cause burns.
- Do not allow the garment to remain in the same position on any part of the body (particularly hands) for periods of more than 20 minutes. Always ensure that there is sufficient movement to reposition the heating panels on the body to some extent to help avoid localized overheating. Blistering of the skin can occur if this warning is not heeded.
- NEVER wear directly against the skin. Always wear a base layer between the product and the skin. (Excludes gloves)
- DO NOT use for prolonged periods particularly at high power and/or at temperatures above 5°C
- ALWAYS use the lowest possible setting for comfort.
- ALWAYS observe any product specific instructions attached to or accompanying the garment.
- DO NOT use when wet. This includes excessive sweat.
- DISCONTINUE USE IMMEDIATELY at any sense of discomfort.
- DO NOT use this product if you suffer from: Heightened or impaired temperature sensitivity or circulatory problems. If in doubt consult your doctor. Not suitable for young children.
- NEVER leave Keis garments unattended when switched on.
- This product is only suitable to be powered by Keis 12V Battery Packs or 12V systems. When using on 12V Vehicles be aware these can run at considerably more than 12V. Check the vehicle systems if in doubt or use a Keis Battery Pack.

7

- DO NOT modify or disassemble any part of the systems in any way.
 Only use Keis Genuine Accessories.
- Check garments and cables regularly for signs of wear and fatigue.
- Do not use if the product is visually damaged.
- Unless otherwise stated Keis garments are not designed to provide crash protection.
- Check out our updated safety information at: www.keisapparel.co.uk.

Safety & environment

- Do not dispose of electrical equipment with standard domestic waste.
- Contact your local authority for disposal information specific to your area.

Wash and care instructions

- Make sure that all the Keis heated garments are disconnected before they are washed (including controllers and connection leads).
- · Hand wash only, using a mild soap and cold water.
- · Hang dry or lay flat.
- Not suitable for dry cleaning.
- Store your dry Keis garment out of direct sunlight. Note: retained moisture and prolonged sunlight may result in fading to the garment's colour. This will also effect the garment's lifespan.

Safe riding tips

- Extended exposure to extreme temperatures, including cold, can lead to hypothermia, dehydration, and desensitisation of the skin.
- Check your skin regularly before, during and after use.
- If two riders are connecting to one Keis on-bike wiring harness, ensure the motorcycle wiring and battery will safely operate the combined amps for all the heated apparel, and you are safely making use of a fuse that will allow the combined current usage.





The Keis Premium V501 Vest features the latest heat generating technology. combined with a lighter construction, improved pockets and distinctive styling.







Comfort Model V106

Premium Model V501

Premium Model V501RP

Keis Heated Vests provide a layer of warmth to important front and back areas of the body. An optional Keis Heat Controller allows you to cycle through three different levels of warmth, providing the ultimate in comfort control during cold weather outdoor use.

The Keis Heated Vest can also be integrated with: Keis Gloves (inner or outer), Keis Trousers, and Keis Boot Insoles.

Technical Data

Voltage: 12V Shell: 94% Polyester, Approximate* Current: 1.3A - 1.5A 6% Spandex Approximate* Power: 15.6W - 18.0W 100% Polyester Lining:


^{*} Depending on the size or type of garment








CONNECTING TO A HEAT CONTROLLER



CONNECTING KEIS GARMENTS TOGETHER





Keis Healed Ladies Premium Bodywarmers





Premium Model B501W

Premium Model B501WRP

Ladies, need some protection against cold temperature riding?

The Keis Ladies Heated Bodywarmer features a heated collar, and heating panels front and back, to deliver a cosy spread of warmth. Designed to provide a comfortable ladies fit and a complimentary cut, the Keis Heated Ladies Premium Bodywarmer has built-in connection plugs, so that you have the option to also power your Keis Gloves, Trousers and Boot Insoles, directly from your primary garment.

Technical Data

Voltage:12VShell:94% Polyester,Approx. Current:1.2A6% SpandexTypical Power:14.4WLining:100% Polyester








CONNECTING TO A HEAT CONTROLLER

Important note:

The heat controller connected to the primary garment (as shown above) will only control the heat setting of the primary garment. Use a separate optional Inline Heat Controller (page 22) to control the heat setting of any other additional integrated (connected) garment.



CONNECTING KEIS GARMENTS TOGETHER KEIS HEATED BODYWARMER CONNECTION SOCKETS

The Keis bodywarmer is able to operate on its own or integrate (connect) with Keis heated trousers, gloves, or insoles, via conveniently positioned connection plug points.





Both Keis heated jackets feature the latest heat generation technology powered by a 12V Keis Portable Battery Pack, or a vehicle connection.





Powersport Jacket Model J501

The ultimate in heated clothing, Keis heated jackets deliver warmth across the back, chest, arms and collar.

The J501, and the J501RP (black with red piping) Powersport Jackets, feature a breathable soft fabric shell, elasticated sides for maximum comfort, convenient pockets and elasticated cuffs that do not bunch up under your motorcycle jacket-glove area.

These Keis heated jackets provide power output sockets so that other Keis heated garments can be connected to the jacket. Heated gloves can be connected to each jacket arm, and heated trousers to the power output socket at the jacket waist.

Technical Data POWERSPORT J501 & J501RP


Voltage: 12V


Approx. Current / Power: 5.5A / 66W

Shell: 94% Polyester, 6% Spandex Lining: 100% Polyester









CONNECTING KEIS GARMENTS TOGETHER

14

KEIS J501 & J501RP POWERSPORT JACKET
CONNECTION LEADS & SOCKETS

The heat controller
connected to the primary
garment (as shown above)
will only control the heat
setting of the primary
garment. Use a separate
optional Inline Heat
Controller (page 22) to
control the heat setting of
any other additional
integrated (connected)
garment.

POWER OUTPUT

TO RIGHTHAND GLOVE

The J501 & J501RP Keis jacket is able to operate on its own or integrate (connect) with Keis heated trousers, gloves, or insoles, via convenient built-in power leads and/or sockets.

POWER OUTPUT TO TROUSERS OR INSOLES LEAD

POWER OUTPUT TO LEFTHAND GLOVE



The Keis Armoured Gloves feature built-in heat controllers, while the Inner Gloves do not, Light-Duty Heat Controllers are available (optional).



The range of Keis heated gloves provide cosy warmth to your hands, powered by either a motorcycle battery power lead, a single pocket-sized portable battery, or dedicated glove batteries (inserted into each glove cuff). The Keis heated motorcycle gloves (G601 and G701) integrate the latest abrasion resistant materials, a protective scaphoid guard, convenient visor wipe, (3M)Thinsulate™ and Hipora™ waterproof membrane, and conforms to the latest European PPE directive EN 13594:2015. We recommend the use of S100 Waterproof Spray to maintain the waterproofing of all outer gloves.

Technical Data

OUTER GLOVES: G601 / G701 / G801

12V Voltage:

Approx. Current: 1.2A - 1.6A (pair) Typical Power: 14.4W - 19.2W Shell: Nylon and Leather

100% Polyester Lining:

SSS KEIS

INNER GLOVES: G102

12V Voltage: Approx. Current: 1A (pair)

Typical Power: 11.5W

Shell: 85% Nylon,

15% Spandex 100% Polyester

POWER INPUT OPTIONS

KEIS PORTABLE (pocket) BATTERY (optional extra for G601, G701 and G102) A SET OF GLOVE BATTERIES ARE SUPPLIED WITH THE G801 LEISURE GLOVES





POWER OUTPUT TO GARMENT

ON-BIKE WIRING HARNESS



MOTORCYCLE BATTERY (not supplied)




USING KEIS HEATED GLOVES WITHOUT A KEIS VEST, BODYWARMER **OR JACKET**



Use the supplied Y-Cable to connect the gloves to your choice of power input (Dual-Power).

USING KEIS HEATED GLOVES WITH A KEIS VEST OR BODYWARMER



Thread the (optional) glove connector leads through the inside of your motorcycle jacket sleeves.

16

USING KEIS HEATED GLOVES WITH A KEIS JACKET



The built-in glove power cables are accessed from within each jacket sleeve.

Lining:

Keis Healed






Keis Heated Trousers use strategically placed heat to create all the warmth your legs will need on long cold trips. They can be powered from the supplied on-bike wiring harness, or plugged into a Keis Vest, Bodywarmer or Jacket. Heat adjustment while on the go is easily accomplished by pressing the button of the 3-stage integrated heat controller, found on the trouser controller flap.

Technical Data


Voltage:12VShell:94% Polyester,Approx. Current:3.3A6% SpandexTypical Power:39.6WLining:100% Polyester

17





----- CONNECTING KEIS GARMENTS TOGETHER







Our feet are often referred to as our radiators. When warm, we feel warm; and when our feet feel cold, we are cold. Keis Insoles provide upto 11 Watts of warmth to toes and soles. As the skin on the feet is sensitive, please read the safety warnings (page 7 & 8).

Keis Insoles are available in 4 sizes: Small, Medium, Large and Extra Large. After selecting the size closest to your feet (see table on the Keis website - Insoles page), the insoles are designed to be trimmed to provide a custom fit to your boots. Care should be taken not to trim inside the indicated area.


The Keis Insoles are Dual-Powered, so they can be powered via the supplied on-bike wiring harness or an optional Keis portable battery.


Technical Data

Voltage: 12V Typical Power: 11W Aprox. Current: 1A Material: PU Foam


19







USING KEIS HEATED INSOLES



built into your Keis Vest, Bodywarmer or Jacket.

SSS Keis Accessories

The Keis heated garments come with all you need to use them right away, but we do recognise that your individual setup and user-needs may require additional accessories.

Keis Portable Battery Pack - 2600mAh and Charger (either UK or Multinational with

EU. US. and UK), with USB Output to also charge phones or USB devices

EU. US. and UK) with USB Output to also charge phones or USB devices

Part # W54-370773 (UK) / W54-371992 (Multi)

Keis Portable Battery Pack - 5200mAh and Charger (either UK or Multinational with

Part # W54-371107 (UK) / W54-372005 (Multi)

Keis Glove Batteries - 2600mAh (each) and Charger (either UK or Multinational with

EU. US. UK). These batteries are available in sets of two



Part # W54-371978 (UK) / W54-372791 (Multi)

Keis Econo Battery Pack - 2600mAh

Economy battery pack without charger. as extra battery for a Keis Bodywarmer or Vest. Can also be used as a single Keis Glove Battery replacement

Part # W54-371985

Keis Spare Y-Cable for Gloves or Insoles



300 or 600mm

Keis Vest or Bodywarmer to Gloves Connection Leads (pair)



Part # W54-370100

Keis Additional Motorcycle Supply Loom Keis Cable Extension (on-bike wiring harness) 60cm



Part # W54-370087 / W54-370094

Keis Heavy-Duty Heat Controller - for Vests, Bodywarmers or Jackets



Keis Light-Duty Inline Heat Controller - for Inner Gloves or Insoles



Part # W54-370025

Keis Inline Controller - On/Off Switch



Part # W54-370124

OptiMate (KET or SAE) Battery Connection Lead to Keis Power Supply Lead - 68mm long



Part # W54-370063 (with the KET plug) W54-370247 (with the SAE plug)

Keis Accessory Socket with OptiMate (SAE) Connector



Part # W54-370643

Keis Accessory Socket with OptiMate (KET) Connector




Part # W54-370056

Adaptor - Keis male to Generic female (5.5×2.1) (5.5 x 2.5)

Part # W54-371374





(5.5 x 2.5) (5.5 x 2.1)

Part # W54-371381

Keis 1-into-3 Cable Splitter



Part # W54-370117

Vehicle Cigarette Lighter / DIN Power Socket Supply Lead Keis Portable Battery Charger -



Part # W54-370032 due to BMW's 5A limit

Part # W54-370049

From a vehicle

SSSKEIS

SSS Powering your Keis equipment

Your Keis heated garment has been designed to be powered from a 12V source, such as a motorcycle battery or a Keis Portable Battery (for Dual-Power garments).

Powering your Keis heated garment from a motorcycle battery

Attach the Fused Connection Lead directly across the battery taking into account any safety notices issued by the manufacturer and observing the polarity Red +ve and Black -ve.

WARNING: Suitable for 12v systems ONLY. Always connect the Red +ve lead to the battery first. Position the power socket so it is

in a convenient position to power



your garment and secure if necessary using cable ties (NOT tape) ensuring that it cannot become trapped, damaged or interfere with the normal operation of the Motorcycle.

Powering your Keis garment from a Keis Portable Battery

WARNING: Use only Keis Battery Packs. Use of third party battery packs will invalidate the warranty and may cause injury.

Insert the Power Input lead directly from the garment into the Keis Battery Pack. For convenience the battery pack can be placed in the inside pocket of the Keis body garment and secured with the Velcro strap. According to comfort considerations, larger batteries may be best accommodated in the pocket of existing garments or a dedicated Keis Battery Pouch. Note: Control of the garment is affected using the optional Heat Controller, and not via the Keis Battery Pack.



Fuses

Fuses protect both the garment and the motorcycle. Select the correct fuse by adding up the amps drawn for the garment, or combination of garments. Always use the fuse with a greater amp value.














Fuse Usage When Using Individual Keis Garments

ITEM:	APROX. CURRENT:	RECOMMENDED FUSE
KEIS HEATED VEST	1.3 - 1.5A	2A Fuse (grey colour)
KEIS HEATED BODYWARMER	1.2A	2A Fuse (grey colour)
KEIS HEATED JACKET	5.5 - 6.0A	7.5A Fuse (brown colour)
KEIS HEATED GLOVES	1.0 - 1.6A	2A Fuse (grey colour)
KEIS HEATED TROUSERS	3.3A	5A Fuse (orange colour)
KEIS HEATED INSOLES	1.0A	2A Fuse (grey colour)



Keis Heat Controllers & Battery Care

Keis Portable Batteries - Care Warning

Your Keis Lithium Ion (Li-ion) Battery Pack uses selected high-quality cells. However, like all Li-ion batteries they self-discharge over time. If allowed to fully discharge they cannot be recovered. Control circuits built into your Keis Battery Pack help prevent full discharge. However, it is vitally important to ensure that the Battery Pack is fully charged before long term storage and fully recharged at least every six months thereafter. Fully discharged batteries are not covered by our warranty.

Keis Heat Controllers

All Keis Heated Vests, Bodywarmers and Jackets (excluding the leisure J801) are supplied out of the box with a 'link wire' in place of a heat controller, and deliver full power. Optional On/Off switch and Heat Controllers (Heavy-Duty or 'Light-Duty Inline') are available to provide control according to your specific use and/or the conditions.

How to use the Keis Heavy-Duty and 'Light-Duty Inline' Heat Controller

Note the 'Light-Duty Inline' controller is only for use with Keis Inner Gloves or Insoles. The Heavy-Duty controller is suitable for Keis Vests, Bodywarmers, and Jackets. When the Heavy-Duty controller



Keis Heavy-Duty Heat Controller

is used with the Vest, Bodywarmer or Jacket the 'link wire' situated in the Controller Pocket should be removed and replaced with the Heavy-Duty controller. The Controller Pocket is designed to store the Heavy-Duty controller when a desired setting has been selected.

- When the clothing (or accessories) are first connected to the power source, all the LEDs on the Heat Controller will flash for about 2 seconds, and then appear blank (no lights illuminating).
- TO SWITCH ON: Pressing and holding the button for about one second will switch the Heat Controller on, defaulting to the Hi setting (Red), or the MAX setting (blue) - for the Inline controller.
- Pressing the button again will scroll through the Med (Amber) and Low (Green) settings and back to Hi.
- TO SWITCH OFF: Press and hold the button for approx 2 seconds.
 The Heat Controller lights will switch off, confirming that the garment is now off.
- Ensure the controller is kept dry at all times.



Keis Heat Controller built into the Keis Heated Armoured Gloves



Keis Heat Controller built into the Keis Heated Trousers



Keis Heavy-Duty Heat Controller plugged into a Keis Heated Vest, Bodywarmer or Jacket



Keis Warranties

The Keis range of heated garments is made to an extremely high standard, using quality materials. As such we are confident in providing the following warranties:

- · LIFETIME WARRANTY on all heating elements.
- 2-Year warranty on all the other materials.
- 180-Day warranty on Keis Portable Batteries.

Visit the Keis website for a list of International distributors, or dealers, in your country or region.

Visit the 'Warranties' page on the Keis website to find out how to register your garments.

Designs and specifications in this manual can change without notice.

www.keisapparel.com

International Head Office:

Keis (Europe) Limited, Motohaus, Unit 1a Rose Estate, Osborn Way, Hook, Hampshire, RG27 9UT, United Kingdom. Tel: +44 (0) 1256 704909